



शान्तिनगर गाउँपालिका

गाउँ कार्यपालिकाको कार्यालय

चिराघाट, दाङ

लुम्बिनी प्रदेश, नेपाल



प.सं. २०८१/०८२

च.नं. १४८६



नेपाल संवत्-१९४२

मिति: २०८२/०१/०६

विषय: दररेट पेश गर्ने सम्बन्धि सूचना ।

उपर्युक्त विषयमा यस गाउँपालिकाको चालु आ.व ०८१/८२ को वार्षिक स्वीकृत कार्यक्रम अनुसार संधिय सरकारबाट हस्तान्तरित कार्यक्रम (ससर्त अनुदान) अन्तर्गत सामुदायिक विद्यालयका छात्राहरूलाई निशुल्क स्यानिटर प्याड व्यवस्थापन गर्न स्यानिटर प्याड खरिद गर्नेको लागी दररेट निर्धारण प्रयोजनार्थ नेपाल सरकारबाट स्वीकृत स्यानिटर प्याड वितरण तथा व्यास्थापन कार्यविधि २०७६ को मापदण्ड बमोजिम यस कार्यालयले तयार पारेको स्पेशिफिकेशनको स्यानिटर प्याड के कति दररेटमा उपलब्ध गराउन सक्नुहुन्छ, ईच्छुक उत्पादक कम्पनी तथा सप्लायर्सहरूले सूचना प्रकाशनको मितिले ५ दिन भित्र यस कार्यालयमा दररेट पेश गर्नुहुन अनुरोध छ ।

Signature
२०८१/१/०६

भेषराज चन्द

प्रमुख प्रशासकीय अधिकृत

ईमेल: shantinagargaupalika@gmail.com

सम्पर्क नम्बर: +९७७-९८५७८२४५५४

९८०६२३००६२

वेबसाईट: <http://www.shantinagarmun.gov.np>

सूचना अधिकारी: +९७७-

Benighat Rorai Rural Municipality
Bishatari Bhanding

Technical Specification of Sanitary Pad		
S.No	Particulars	Remarks
1	Types and Physical Finishing	Regular with wadding, napkin with uniform thickness throughout without any wrinkles and distortion. The sanitary napkins shall have a soft feel and when worn shall not chafe or give any uncomfortable feeling. They shall be free from all sorts of foreign matter.
	Raw Material Permitted	a. Absorbent filter: plant-based raw materials such as wood pulp, cellulose pulp, bamboo fiber, banana fiber and corn which have natural sterilization effects, tissue paper, pure cotton, shall be free from lumps, oil spots, dirt or foreign material. b. Covering: The covering of the absorbent filter shall be of a good quality cotton or rayon knitted sleeving, gauze or non-woven fabric with sufficient porosity to permit the assembled pad to meet absorbency requirements.
	Size	Size including minimum (240±20 mm length and 60 to 75 mm width, thickness 15mm ±2 mm)
	Absorbency	The sanitary pad shall absorb at least 30 ml of colored distilled water and it shall not show leakage at the bottom or sides of the sanitary napkin.
	Disposability	Disposable pad with the covering removed, shall be immersed in 15 liters of water and stirred. The pad shall disintegrate in the water in not more than 5 minutes.
	Colour	The product shall be white in colour and shall be almost odourless.
	PH Value	Free from acid and alkali, pH of absorbent material shall be 6-8.5 (tested as per the method given in Indian Standard 1390)
	Hygiene Testing Requirement:	Total viable count (total number of bacteria and fungi) shall be not more than 1000 cfu/gm and absence of staphylococcus aureus in accordance with IS 5887 (part 2)
	Manufacture	The manufacturer shall declare that all ingredients used in the product are safe from human use based on its known toxicological characteristics at intended use.
	Packaging Type	At least 90% compostable pack, protecting package to product.
	Packaging Size	Minimum 8 pads per pack.
	Biodegradability or compostability	At least 90% degrade within 6 months (testing is performed and confirmed from recognized and approved laboratory)

उल्लेखित स्पेशलिफिकेशन बमोजिम २४० एम.एम. अल्ट्रा, नेपाल गुणस्तर चिन्ह प्राप्त सेनितर प्याड

(Signature)
 प्रमुख स्वास्थ्य अधिकारी

(Signature)
 प्रमुख प्रशासकीय अधिकारी